

Certificate of Constancy of Performance

This is to certify that:

Systemair GmbH
Seehöfer Straße 45
Windischbuch
97944
Germany

Holds Certificate Number:


0086-CPR-578672

In respect of:

EN 12101-3:2015 Smoke and heat control systems. Specification for powered smoke and heat exhaust ventilators (fans).

In compliance with Regulation 305/2011/EU of the European Parliament and of the Council of 9 March 2011 (the Construction Products Regulation or CPR), this certificate applies to the above construction product. This certificate attests that all the provisions concerning the assessment and verification of constancy of performance described in Annex ZA of the above standard(s) under system 1 are applied and that the product fulfils (products fulfil) all the prescribed requirements set out above. This certificate remains valid as long as the test methods and/or factory production control requirements included in the harmonised standard(s), used to assess the performance of the declared essential characteristics, do not change and the products(s), and the manufacturing conditions in the plants(s) are not modified significantly.

For and on behalf of BSI, a Notified
Body for the above Regulation
(Notified Body Number 0086):


Chris Lewis - Certification Director, Product Certification

First Issued: 2011-09-13

Latest Issue: 2018-10-25

Page: 1 of 20

...making excellence a habit.™

Certificate of Constancy of Performance

No. 0086-CPR-578672

EN 12101-3:2015 – Powered smoke and heat exhaust ventilators.

AXC Axial fan range	2 Pole Models (Brook Crompton/CMG)		
	AXC 315-5 (B)	AXC 315-7 (B)	AXC 315-10 (B)
	AXC 355-5 (B)	AXC 355-7 (B)	AXC 355-10 (B)
	AXC 400-3 (B)	AXC 400-5 (B)	AXC 400-6 (B)
	AXC 400-7 (B)	AXC 400-9 (B)	AXC 400-10 (B)
	AXC 450-3 (B)	AXC 450-5 (B)	AXC 450-6 (B)
	AXC 450-9 (B)	AXC 450-10 (B)	AXC 500-3 (B)
	AXC 500-5 (B)	AXC 500-6 (B)	AXC 500-9 (B)
	AXC 500-10 (B)	AXC 560-3 (B)	AXC 560-6 (B)
	AXC 560-9 (B)	AXC 630-3 (B)	AXC 630-6 (B)
	AXC 630-9 (B)	AXC 710-3 (B)	AXC 710-5 (B)
	AXC 710-6 (B)	AXC 710-9 (B)	AXC 710-10 (B)
	4 Pole models (Brook Crompton/CMG)		
	AXC 315-5 (B)	AXC 315-10 (B)	AXC 355-5 (B)
	AXC 355-10 (B)	AXC 400-5 (B)	AXC 400-10 (B)
	AXC 450-5 (B)	AXC 450-10 (B)	AXC 500-5 (B)
	AXC 500-10 (B)	AXC 560-3 (B)	AXC 560-6 (B)
	AXC 560-9 (B)	AXC 630-3 (B)	AXC 630-6 (B)
	AXC 630-9 (B)	AXC 710-3 (B)	AXC 710-6 (B)
	AXC 710-9 (B)	AXC 800-3 (B)	AXC 800-5 (B)
	AXC 800-6 (B)	AXC 800-9 (B)	AXC 800-10 (B)
	AXC 900-5 (B)	AXC 900-10 (B)	AXC 1000-5 (B)
	AXC 1000-10 (B)	AXC 1120-5 (B)	AXC 1120-10 (B)
	AXC 1250-3 (B)	AXC 1250-6 (B)	AXC 1250-8 (B)
	AXC 1250-9 (B)	AXC 1250-12 (B)	AXC 1400-3 (B)
	AXC 1400-5 (B)	AXC 1400-6 (B)	AXC 1400-8 (B)
	AXC 1400-9 (B)	AXC 1400-10 (B)	AXC 1400-12 (B)
Response Delay	N/A		
Resistance to Fire class	F300 (300°C, 60mins) (Tested 300°C, 120mins)		
Motor Rating	Class H		
Ancillaries	Mounting brackets – Vertical – MFA Mounting feet – Horizontal Flexible connection – EV-H Matching flanges Bellmouth inlets (mild steel, stainless steel – EFD-F Range) Silencers (mild steel, stainless steel – RS Range)		
BSRIA reports: 53580/2 Edition 2, 58545/2, 53580/4			

First Issued: 2011-09-13

Latest Issue: 2018-10-25

Page: 2 of 20

This certificate has been issued by and remains the property of BSI Assurance UK Ltd, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP, United Kingdom and should be returned immediately upon request.
To check its validity telephone +44 (0) 345 080 9000. An electronic certificate can be authenticated [online](#).

BSI Assurance UK Limited, registered in England under number 7805321 at 389 Chiswick High Road, London W4 4AL, UK.
A member of BSI Group of Companies.

Certificate of Constancy of Performance

No. 0086-CPR-578672

EN 12101-3:2015 – Powered smoke and heat exhaust ventilators.

AXC Axial fan range	6 Pole Models (Brook Crompton/CMG)		
	AXC 315-5 (B)	AXC 315-10 (B)	AXC 355-5 (B)
	AXC 355-10 (B)	AXC 400-5 (B)	AXC 400-10 (B)
	AXC 450-5 (B)	AXC 450-10 (B)	AXC 500-5 (B)
	AXC 500-10 (B)	AXC 560-3 (B)	AXC 560-6 (B)
	AXC 560-9 (B)	AXC 630-3 (B)	AXC 630-6 (B)
	AXC 630-9 (B)	AXC 710-3 (B)	AXC 710-6 (B)
	AXC 710-9 (B)	AXC 800-3 (B)	AXC 800-5 (B)
	AXC 800-6 (B)	AXC 800-9 (B)	AXC 800-10 (B)
	AXC 900-5 (B)	AXC 900-10 (B)	AXC 1000-5 (B)
	AXC 1000-10 (B)	AXC 1120-5 (B)	AXC 1120-10 (B)
	AXC 1250-3 (B)	AXC 1250-6 (B)	AXC 1250-8 (B)
	AXC 1250-9 (B)	AXC 1250-12 (B)	AXC 1400-3 (B)
	AXC 1400-5 (B)	AXC 1400-6 (B)	AXC 1400-8 (B)
	AXC 1400-9 (B)	AXC 1400-10 (B)	AXC 1400-12 (B)
	AXC 1600-3 (B)	AXC 1600-5 (B)	AXC 1600-6 (B)
	AXC 1600-8 (B)	AXC 1600-9 (B)	AXC 1600-10 (B)
	AXC 1600-12 (B)	AXC 1800-3 (B)	AXC 1800-5 (B)
	AXC 1800-6 (B)	AXC 1800-8 (B)	AXC 1800-9 (B)
	AXC 1800-10 (B)	AXC 1800-12 (B)	
Response Delay	N/A		
Resistance to Fire class	F300 (300°C, 60mins) (Tested 300°C, 120mins)		
Motor Rating	Class H		
Ancillaries	Mounting brackets – Vertical – MFA Mounting feet – Horizontal Flexible connection – EV-H Matching flanges Bellmouth inlets (mild steel, stainless steel – EFD-F Range) Silencers (mild steel, stainless steel – RS Range)		
BSRIA reports: 53580/2 Edition 2, 58545/2, 53580/4, 59522/1			

First Issued: 2011-09-13

Latest Issue: 2018-10-25

Page: 3 of 20

This certificate has been issued by and remains the property of BSI Assurance UK Ltd, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP, United Kingdom and should be returned immediately upon request.
To check its validity telephone +44 (0) 345 080 9000. An electronic certificate can be authenticated [online](#).

BSI Assurance UK Limited, registered in England under number 7805321 at 389 Chiswick High Road, London W4 4AL, UK.
A member of BSI Group of Companies.

Certificate of Constancy of Performance

No. 0086-CPR-578672

EN 12101-3:2015 – Powered smoke and heat exhaust ventilators.

AXC Axial fan range	2 Pole Models (CMG motor)		
	AXCP 315-6 (B)	AXCP 355-6 (B)	AXCP 400-6 (B)
	AXCP 450-6 (B)	AXCP 500-6 (B)	AXCP 560-9 (B)
	AXCP 630-9 (B)		
	4 Pole models (CMG motor)		
	AXCP 315-6 (B)	AXCP 355-6 (B)	AXCP 400-6 (B)
	AXCP 450-6 (B)	AXCP 500-6 (B)	AXCP 560-9 (B)
	AXCP 630-9 (B)		
	6 Pole models (CMG motor)		
	AXCP 315-6 (B)	AXCP 355-6 (B)	AXCP 400-6 (B)
	AXCP 450-6 (B)	AXCP 500-6 (B)	AXCP 560-9 (B)
	AXCP 630-9 (B)		
	2 Pole Models (CMG motor)		
	AXCPV 315-6 (B)	AXCPV 355-6 (B)	AXCPV 400-6 (B)
	AXCPV 450-6 (B)	AXCPV 500-6 (B)	AXCPV 560-9 (B)
	AXCPV 630-9 (B)		
	4 Pole models (CMG motor)		
	AXCPV 315-6 (B)	AXCPV 355-6 (B)	AXCPV 400-6 (B)
	AXCPV 450-6 (B)	AXCPV 500-6 (B)	AXCPV 560-9 (B)
	AXCPV 630-9 (B)		
	6 Pole models (CMG motor)		
	AXCPV 315-6 (B)	AXCPV 355-6 (B)	AXCPV 400-6 (B)
	AXCPV 450-6 (B)	AXCPV 500-6 (B)	AXCPV 560-9 (B)
	AXCPV 630-9 (B)		
Response Delay	N/A		
Resistance to Fire class	F300 (300°C, 60mins) (Tested 300°C, 120mins)		
Motor Rating	Class H		
Ancillaries	Mounting brackets – Vertical – MFA Mounting feet – Horizontal Flexible connection – EV-H Matching flanges Bellmouth inlets (mild steel, stainless steel – EFD-F Range) Silencers (mild steel, stainless steel – RS Range) Inlet guard		
BSRIA report: 60127/1			

First Issued: 2011-09-13

Latest Issue: 2018-10-25

Page: 4 of 20

This certificate has been issued by and remains the property of BSI Assurance UK Ltd, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP, United Kingdom and should be returned immediately upon request.
To check its validity telephone +44 (0) 345 080 9000. An electronic certificate can be authenticated [online](#).

BSI Assurance UK Limited, registered in England under number 7805321 at 389 Chiswick High Road, London W4 4AL, UK.
A member of BSI Group of Companies.

Certificate of Constancy of Performance

No. 0086-CPR-578672

EN 12101-3:2015 – Powered smoke and heat exhaust ventilators.

AXC Axial fan range	2 Pole Models (WEG)			
	AXC 315-7 (F)	AXC 355-7 (F)	AXC 400-3 (F)	AXC 400-6 (F)
	AXC 400-7 (F)	AXC 400-9 (F)	AXC 450-3 (F)	AXC 450-6 (F)
	AXC 450-7 (F)	AXC 450-9 (F)	AXC 500-3 (F)	AXC 500-6 (F)
	AXC 500-9 (F)	AXC 560-3 (F)	AXC 560-6 (F)	AXC 560-9 (F)
	AXC 630-3 (F)	AXC 630-6 (F)	AXC 630-9 (F)	AXC 710-5 (F)
	AXC 710-10 (F)			
	4 Pole models (WEG)			
	AXC 315-7 (F)	AXC 355-7 (F)	AXC400-3 (F)	AXC 400-6 (F)
	AXC 400-7 (F)	AXC 400-9 (F)	AXC 450-3 (F)	AXC 450-6 (F)
	AXC 450-7 (F)	AXC 450-9 (F)	AXC 500-3 (F)	AXC 500-6 (F)
	AXC 500-9 (F)	AXC 560-3 (F)	AXC 560-6 (F)	AXC 560-9 (F)
	AXC 630-3 (F)	AXC 630-6 (F)	AXC 630-9 (F)	AXC 710-5 (F)
	AXC 710-10 (F)	AXC 800-5 (F)	AXC 800-10 (F)	AXC 900-5 (F)
	AXC 900-10 (F)			
	6 Pole models (WEG)			
	AXC 315-7 (F)	AXC 355-7 (F)	AXC 400-3 (F)	AXC 400-6 (F)
	AXC 400-7 (F)	AXC 400-9 (F)	AXC 450-3 (F)	AXC 450-6 (F)
	AXC 450-7 (F)	AXC 450-9 (F)	AXC 500-3 (F)	AXC 500-6 (F)
	AXC 500-9 (F)	AXC 560-3 (F)	AXC 560-6 (F)	AXC 560-9 (F)
	AXC 630-3 (F)	AXC 630-6 (F)	AXC 630-9 (F)	AXC 710-5 (F)
	AXC 710-10 (F)	AXC 800-5 (F)	AXC 800-10 (F)	AXC 900-5 (F)
	AXC 900-10 (F)			
Response Delay	N/A			
Resistance to Fire class	F400 (Tested to 400°C, 120mins)			
Motor Rating	Class H			
Ancillaries	Mounting brackets – Vertical – MFA Mounting feet – Horizontal Flexible connection – EV-H Matching flanges Bellmouth inlets (mild steel, stainless steel – EFD-F Range) Silencers (mild steel, stainless steel – RS Range)			
BSRIA reports: 59522/3				

First Issued: 2011-09-13

Latest Issue: 2018-10-25

Page: 5 of 20

This certificate has been issued by and remains the property of BSI Assurance UK Ltd, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP, United Kingdom and should be returned immediately upon request.
To check its validity telephone +44 (0) 345 080 9000. An electronic certificate can be authenticated [online](#).

BSI Assurance UK Limited, registered in England under number 7805321 at 389 Chiswick High Road, London W4 4AL, UK.
A member of BSI Group of Companies.

Certificate of Constancy of Performance

No. 0086-CPR-578672

EN 12101-3:2015 – Powered smoke and heat exhaust ventilators.

AXC Axial fan range	2 Pole Models (Brook Crompton)			
	AXC 315-7 (F)	AXC 355-7 (F)	AXC400-3 (F)	AXC 400-6 (F)
	AXC 400-7 (F)	AXC 400-9 (F)	AXC 450-3 (F)	AXC 450-6 (F)
	AXC 450-7 (F)	AXC 450-9 (F)	AXC 500-3 (F)	AXR 500-6 (F)
	AXC 500-9 (F)	AXC 560-3 (F)	AXR 560-6 (F)	AXC 560-9 (F)
	AXC 630-3 (F)	AXC 630-6 (F)	AXC 630-9 (F)	AXC 710-5 (F)
	AXC 710-10 (F)			
	4 Pole models (Brook Crompton)			
	AXC 630-3 (F)	AXC 630-6 (F)	AXC 630-9 (F)	AXC 710-5 (F)
	AXC 710-10 (F)	AXC 800-3 (F)	AXC 800-5 (F)	AXC 800-6 (F)
	AXC 800-9 (F)	AXC 900-5 (F)	AXC 900-10 (F)	AXC 1000-5 (F)
	AXC 1000-10 (F)	AXC 1120-3 (F)	AXC 1120-5 (F)	AXC 1120-6 (F)
	AXC 1120-8 (F)	AXC 1120-9 (F)	AXC 1120-10 (F)	AXC 1120-12 (F)
	AXC 1250-3 (F)	AXC 1250-6 (F)	AXC 1250-8 (F)	AXC 1250-9 (F)
	AXC 1250-12 (F)			
	6 Pole models (Brook Crompton)			
	AXC 1400-3 (F)	AXC 1400-6 (F)	AXC 1400-8 (F)	
	AXC 1400-9 (F)	AXC 1400-12 (F)	AXC 1600-3 (F)	
	AXC 1600-6 (F)	AXC 1600-8 (F)	AXC 1600-9 (F)	
	AXC 1600-12 (F)			
Response Delay	N/A			
Resistance to Fire class	F400 (Tested to 400 °C, 120mins)			
Motor Rating	Class H			
Ancillaries	Mounting brackets – Vertical – MFA Mounting feet – Horizontal Flexible connection – EV-H Matching flanges Bellmouth inlets (mild steel, stainless steel – EFD-F Range) Silencers (mild steel, stainless steel – RS Range)			
BSRIA report: 53580/1				

First Issued: 2011-09-13

Latest Issue: 2018-10-25

Page: 6 of 20

This certificate has been issued by and remains the property of BSI Assurance UK Ltd, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP, United Kingdom and should be returned immediately upon request.
To check its validity telephone +44 (0) 345 080 9000. An electronic certificate can be authenticated [online](#).

BSI Assurance UK Limited, registered in England under number 7805321 at 389 Chiswick High Road, London W4 4AL, UK.
A member of BSI Group of Companies.

Certificate of Constancy of Performance

No. 0086-CPR-578672

EN 12101-3:2015 – Powered smoke and heat exhaust ventilators.

AXC Axial fan range*	Models			
	AXC (K) 315	AXC (K) 355	AXC (K) 400	AXC (K) 450
	AXC (K) 500	AXC (K) 560	AXC (K) 630	AXC (K) 710
	AXC (K) 800	AXC (K) 900	AXC (K) 1000	AXC (K) 1120
	AXC (K) 1250	AXC (K) 1400	AXC (K) 1600	
Response Delay	N/A			
Resistance to Fire class	F200 in accordance with EN 12101-3:2002, unclassified (Tested to 250 °C, 120mins – F250)			
Motor Rating	Class H			
Ancillaries	Mounting brackets – Vertical – MFA Mounting feet – Horizontal Flexible connection – EV-H Matching flanges Bellmouth inlets (mild steel, stainless steel – EFD-F Range) Silencers (mild steel, stainless steel – RS Range)			
BSRIA report: 53580/3				

AXR Axial fan range*	Models			
	AXR (K) 315	AXR (K) 355	AXR (K) 400	AXR (K) 450
	AXR (K) 500	AXR (K) 560	AXR (K) 630	AXR (K) 710
	AXR (K) 800	AXR (K) 900	AXR (K) 1000	AXR (K) 1120
	AXR (K) 1250	AXR (K) 1400	AXR (K) 1600	
Response Delay	N/A			
Resistance to Fire class	F200 in accordance with EN 12101-3:2002, unclassified (Tested to 250 °C, 120mins – F250)			
Motor Rating	Class H			
Ancillaries	Mounting brackets – Vertical – MFA Mounting feet – Horizontal Flexible connection – EV-H Matching flanges Bellmouth inlets (mild steel, stainless steel – EFD-F Range) Silencers (mild steel, stainless steel – RS Range)			
BSRIA report: 53580/3				

First Issued: 2011-09-13

Latest Issue: 2018-10-25

Page: 7 of 20

This certificate has been issued by and remains the property of BSI Assurance UK Ltd, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP, United Kingdom and should be returned immediately upon request.
To check its validity telephone +44 (0) 345 080 9000. An electronic certificate can be authenticated [online](#).

BSI Assurance UK Limited, registered in England under number 7805321 at 389 Chiswick High Road, London W4 4AL, UK.
A member of BSI Group of Companies.

Certificate of Constancy of Performance

No. 0086-CPR-578672

EN 12101-3:2015 – Powered smoke and heat exhaust ventilators.

AXR Axial fan range	2 Pole Models (Brook Crompton)		
	AXR 315-7 (B)	AXR 355-7 (B)	AXR 400-7 (B)
	AXR 450-3 (B)	AXR 450-6 (B)	AXR 450-7 (B)
	AXR 450-9 (B)	AXR 500-3 (B)	AXR 500-6 (B)
	AXR 500-9 (B)	AXR 560-3 (B)	AXR 560-6 (B)
	AXR 560-9 (B)	AXR 630-3 (B)	AXR 630-6 (B)
	AXR 630-9 (B)	AXR 710-5 (B)	AXR 710-10 (B)
	4 Pole models (Brook Crompton)		
	AXR 800-5 (B)	AXR 800-10 (B)	AXR 900-5 (B)
	AXR 900-10 (B)	AXR1000-5 (B)	AXR 1000-10 (B)
	AXR 1120-3 (B)	AXR 1120-5 (B)	AXR 1120-6 (B)
	AXR 1120-9 (B)	AXR 1120-10 (B)	AXR 1120-12 (B)
	AXR 1250-3 (B)	AXR 1250-6 (B)	AXR 1250-8 (B)
	AXR 1250-9 (B)	AXR 1250-12 (B)	
	6 Pole models (Brook Crompton)		
	AXR 1400-3 (B)	AXR 1400-6 (B)	AXR 1400-8 (B)
	AXR 1400-9 (B)	AXR 1400-12 (B)	AXR 1600-3 (B)
	AXR 1600-6 (B)	AXR 1600-8 (B)	AXR 1600-9 (B)
	AXR 1600-12 (B)	AXR 1800-3 (B)	AXR 1800-5 (B)
	AXR 1800-6 (B)	AXR 1800-8 (B)	AXR 1800-9 (B)
	AXR 1800-10 (B)	AXR 1800-12 (B)	
Response Delay	N/A		
Resistance to Fire class	F300 (300°C, 60mins) (Tested 300°C, 120mins)		
Motor Rating	Class H		
Ancillaries	Mounting brackets – Vertical – MFA Mounting feet – Horizontal Flexible connection – EV-H Matching flanges Bellmouth inlets (mild steel, stainless steel – EFD-F Range) Silencers (mild steel, stainless steel – RS Range)		
BSRIA report: 53580/2 Edition 2			

First Issued: 2011-09-13

Latest Issue: 2018-10-25

Page: 8 of 20

This certificate has been issued by and remains the property of BSI Assurance UK Ltd, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP, United Kingdom and should be returned immediately upon request.
To check its validity telephone +44 (0) 345 080 9000. An electronic certificate can be authenticated [online](#).

BSI Assurance UK Limited, registered in England under number 7805321 at 389 Chiswick High Road, London W4 4AL, UK.
A member of BSI Group of Companies.

Certificate of Constancy of Performance

No. 0086-CPR-578672

EN 12101-3:2015 – Powered smoke and heat exhaust ventilators.

AXR Axial fan range	2 Pole Models (WEG)		
	AXR 315-7 (F)	AXR 355-7 (F)	AXR 400-7 (F)
	AXR 450-3 (F)	AXR 450-6 (F)	AXR 450-7 (F)
	AXR 450-9 (F)	AXR 500-3 (F)	AXR 500-6 (F)
	AXR 500-9 (F)	AXR 560-3 (F)	AXR 560-6 (F)
	AXR 560-9 (F)	AXR 630-3 (F)	AXR 630-6 (F)
	AXR 630-9 (F)	AXR 710-5 (F)	AXR 710-10 (F)
	4 Pole Models (WEG)		
	AXR 315-7 (F)	AXR 355-7 (F)	AXR 400-7 (F)
	AXR 450-3 (F)	AXR 450-6 (F)	AXR 450-7 (F)
	AXR 450-9 (F)	AXR 500-3 (F)	AXR 500-6 (F)
	AXR 500-9 (F)	AXR 560-3 (F)	AXR 560-6 (F)
	AXR 560-9 (F)	AXR 630-3 (F)	AXR 630-6 (F)
	AXR 630-9 (F)	AXR 710-5 (F)	AXR 710-10 (F)
	AXR 800-5 (F)	AXR 800-10 (F)	AXR 900-5 (F)
	AXR 900-10 (F)		
	6 Pole Models (WEG)		
	AXR 315-7 (F)	AXR 355-7 (F)	AXR 400-7 (F)
	AXR 450-3 (F)	AXR 450-6 (F)	AXR 450-7 (F)
	AXR 450-9 (F)	AXR 500-3 (F)	AXR 500-6 (F)
	AXR 500-9 (F)	AXR 560-3 (F)	AXR 560-6 (F)
	AXR 560-9 (F)	AXR 630-3 (F)	AXR 630-6 (F)
	AXR 630-9 (F)	AXR 710-5 (F)	AXR 710-10 (F)
	AXR 800-5 (F)	AXR 800-10 (F)	AXR 900-5 (F)
	AXR 900-10 (F)		
Response Delay	N/A		
Resistance to Fire class	F400 (Tested to 400°C, 120min)		
Motor Rating	Class H		
Ancillaries	Mounting brackets – Vertical – MFA Mounting feet – Horizontal Flexible connection – EV-H Matching flanges Bellmouth inlets (mild steel, stainless steel – EFD-F Range) Silencers (mild steel, stainless steel – RS Range)		
BSRIA reports: 59522/3			

First Issued: 2011-09-13

Latest Issue: 2018-10-25

Page: 9 of 20

This certificate has been issued by and remains the property of BSI Assurance UK Ltd, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP, United Kingdom and should be returned immediately upon request.
To check its validity telephone +44 (0) 345 080 9000. An electronic certificate can be authenticated [online](#).

BSI Assurance UK Limited, registered in England under number 7805321 at 389 Chiswick High Road, London W4 4AL, UK.
A member of BSI Group of Companies.

Certificate of Constancy of Performance

No. 0086-CPR-578672

EN 12101-3:2015 – Powered smoke and heat exhaust ventilators.

AJ Axial fan range	2 Pole Models (WEG)		
	AJ 315-7 (F)	AJ 355-7 (F)	AJ 400-3 (F)
	AJ 400-6 (F)	AJ 400-9 (F)	AJ 450-7 (F)
	AJ 500-3 (F)	AJ 500-6 (F)	AJ 500-9 (F)
	AJ 560-3 (F)	AJ 560-6 (F)	AJ 560-9 (F)
	AJ 630-3 (F)	AJ 630-6 (F)	AJ 630-9 (F)
	AJ 710-5 (F)	AJ 710-10 (F)	
	4 Pole models (WEG)		
	AJ 315-7 (F)	AJ 355-7 (F)	AJ 400-3 (F)
	AJ 400-6 (F)	AJ 400-9 (F)	AJ 450-7 (F)
	AJ 500-3 (F)	AJ 500-6 (F)	AJ 500-9 (F)
	AJ 560-3 (F)	AJ 560-6 (F)	AJ 560-9 (F)
	AJ 630-3 (F)	AJ 630-6 (F)	AJ 630-9 (F)
	AJ 710-5 (F)	AJ 710-10 (F)	AJ 800-5 (F)
	AJ 800-10 (F)	AJ 900-5 (F)	AJ 900-10 (F)
	6 Pole models (WEG)		
	AJ 315-7 (F)	AJ 355-7 (F)	AJ 400-3 (F)
	AJ 400-6 (F)	AJ 400-9 (F)	AJ 450-7 (F)
	AJ 500-3 (F)	AJ 500-6 (F)	AJ 500-9 (F)
	AJ 560-3 (F)	AJ 560-6 (F)	AJ 560-9 (F)
	AJ 630-3 (F)	AJ 630-6 (F)	AJ 630-9 (F)
	AJ 710-5 (F)	AJ 710-10 (F)	AJ 800-5 (F)
	AJ 800-10 (F)	AJ 900-5 (F)	AJ 900-10 (F)
Response Delay	N/A		
Resistance to Fire class	F400 (Tested to 400°C, 120mins)		
Motor Rating	Class H		
Ancillaries	Mounting brackets – Vertical – MFA Mounting feet – Horizontal Flexible connection – EV-H Matching flanges Bellmouth inlets (mild steel, stainless steel – EFD-F Range) Silencers (mild steel, stainless steel – RS Range)		
BSRIA reports: 59522/3			

First Issued: 2011-09-13

Latest Issue: 2018-10-25

Page: 10 of 20

This certificate has been issued by and remains the property of BSI Assurance UK Ltd, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP, United Kingdom and should be returned immediately upon request.
To check its validity telephone +44 (0) 345 080 9000. An electronic certificate can be authenticated [online](#).

BSI Assurance UK Limited, registered in England under number 7805321 at 389 Chiswick High Road, London W4 4AL, UK.
A member of BSI Group of Companies.

Certificate of Constancy of Performance

No. 0086-CPR-578672

EN 12101-3:2015 – Powered smoke and heat exhaust ventilators.

AJ Axial fan range	2 Pole Models (Brook Crompton)		
	AJ 315-7 (F)	AJ 355-7 (F)	AJ 400-3 (F)
	AJ 400-6 (F)	AJ 400-9 (F)	AJ 450-7 (F)
	AJ 500-3 (F)	AJ 500-6 (F)	AJ 500-9 (F)
	AJ 560-3 (F)	AJ 560-6 (F)	AJ 560-9 (F)
	AJ 630-3 (F)	AJ 630-6 (F)	AJ 630-9 (F)
	AJ 710-5 (F)	AJ 710-10 (F)	
	4 Pole models (Brook Crompton)		
	AJ 800-5 (F)	AJ 800-10 (F)	AJ 900-5 (F)
	AJ 900-10 (F)	AJ 1000-5 (F)	AJ 1000-10 (F)
	AJ 1120-5 (F)	AJ 1120-10 (F)	AJ 1250-3 (F)
	AJ 1250-6 (F)	AJ 1250-8 (F)	AJ 1250-9 (F)
	AJ 1250-12 (F)		
	6 Pole models (Brook Crompton)		
	AJ 1400-3 (F)	AJ 1400-6 (F)	AJ 1400-8 (F)
	AJ 1400-9 (F)	AJ 1400-12 (F)	AJ 1600-3 (F)
	AJ 1600-6 (F)	AJ 1600-8 (F)	AJ 1600-9 (F)
	AJ 1600-12 (F)		
Response Delay	N/A		
Resistance to Fire class	F400 (Tested to 400°C, 120mins)		
Motor Rating	Class H		
Ancillaries	Mounting brackets – Vertical – MFA Mounting feet – Horizontal Flexible connection – EV-H Matching flanges Bellmouth inlets (mild steel, stainless steel – EFD-F Range) Silencers (mild steel, stainless steel – RS Range)		
BSRIA report: 53580/1			

First Issued: 2011-09-13

Latest Issue: 2018-10-25

Page: 11 of 20

This certificate has been issued by and remains the property of BSI Assurance UK Ltd, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP, United Kingdom and should be returned immediately upon request.
To check its validity telephone +44 (0) 345 080 9000. An electronic certificate can be authenticated [online](#).

BSI Assurance UK Limited, registered in England under number 7805321 at 389 Chiswick High Road, London W4 4AL, UK.
A member of BSI Group of Companies.

Certificate of Constancy of Performance

No. 0086-CPR-578672

EN 12101-3:2015 – Powered smoke and heat exhaust ventilators.

AJ Axial fan range	2 Pole Models (Brook Crompton)		
	AJ 315-7 (B)	AJ 355-7 (B)	AJ 400-7 (B)
	AJ 450-3 (B)	AJ 450-6 (B)	AJ 450-7 (B)
	AJ 450-9 (B)	AJ 500-3 (B)	AJ 500-6 (B)
	AJ 500-9 (B)	AJ 560-3 (B)	AJ 560-6 (B)
	AJ 560-9 (B)	AJ 630-3 (B)	AJ 630-6 (B)
	AJ 630-9 (B)	AJ 710-5 (B)	AJ 710-10 (B)
	4 Pole models (Brook Crompton)		
	AJ 800-5 (B)	AJ 800-10 (B)	AJ 900-5 (B)
	AJ 900-10 (B)	AJ 1000-5 (B)	AJ 1000-10 (B)
	AJ 1120-3 (B)	AJ 1120-5 (B)	AJ 1120-6 (B)
	AJ 1120-8 (B)	AJ 1120-9 (B)	AJ 1120-10 (B)
	AJ 1120-12 (B)	AJ 1250-3 (B)	AJ 1250-6 (B)
	AJ 1250-8 (B)	AJ 1250-9 (B)	AJ 1250-12 (B)
	6 Pole models (Brook Crompton)		
	AJ 1400-3 (B)	AJ 1400-6 (B)	AJ 1400-8 (B)
	AJ 1400-9 (B)	AJ 1400-12 (B)	AJ 1600-3 (B)
	AJ 1600-6 (B)	AJ 1600-8 (B)	AJ 1600-9 (B)
	AJ 1600-12 (B)		
Response Delay	N/A		
Resistance to Fire class	F300 (300 °C, 60mins) (Tested 300 °C, 120mins)		
Motor Rating	Class H		
Ancillaries	Mounting brackets – Vertical – MFA Mounting feet – Horizontal Flexible connection – EV-H Matching flanges Bellmouth inlets (mild steel, stainless steel – EFD-F Range) Silencers (mild steel, stainless steel – RS Range)		
BSRIA report: 53580/2 Edition 2			

First Issued: 2011-09-13

Latest Issue: 2018-10-25

Page: 12 of 20

This certificate has been issued by and remains the property of BSI Assurance UK Ltd, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP, United Kingdom and should be returned immediately upon request.
To check its validity telephone +44 (0) 345 080 9000. An electronic certificate can be authenticated [online](#).

BSI Assurance UK Limited, registered in England under number 7805321 at 389 Chiswick High Road, London W4 4AL, UK.
A member of BSI Group of Companies.

Certificate of Constancy of Performance

No. 0086-CPR-578672

EN 12101-3:2015 – Powered smoke and heat exhaust ventilators.

AXR Axial fan range	2 Pole Models (Brook Crompton)		
	AXR 315-7 (F)	AXR 355-7 (F)	AXR 400-3 (F)
	AXR 400-6 (F)	AXR 400-9 (F)	AXR 450-7 (F)
	AXR 500-3 (F)	AXR 500-6 (F)	AXR 500-9 (F)
	AXR 560-3 (F)	AXR 560-6 (F)	AXR 560-9 (F)
	AXR 630-3 (F)	AXR 630-6 (F)	AXR 630-9 (F)
	AXR 630-(F)	AXR 710-5 (F)	AXR 710-10(F)
	4 Pole models (Brook Crompton)		
	AXR 800-5 (F)	AXR 800-10 (F)	AXR 900-5 (F)
	AXR 900-10 (F)	AXR1000-5 (F)	AXR 1000-10 (F)
	AXR 1120-5 (F)	AXR 1120-10 (F)	AXR 1250-3 (F)
	AXR 1250-6 (F)	AXR 1250-8 (F)	AXR 1250-9 (F)
	AXR 1250-12 (F)		
	6 Pole models (Brook Crompton)		
	AXR 1400-3 (F)	AXR 1400-6 (F)	AXR 1400-8 (F)
	AXR 1400-9 (F)	AXR 1400-12 (F)	AXR 1600-3 (F)
	AXR 1600-6 (F)	AXR 1600-8 (F)	AXR 1600-9 (F)
	AXR 1600-12 (F)		
Response Delay	N/A		
Resistance to Fire class	F400 (400 °C, 120mins)		
Motor Rating	Class H		
Ancillaries	Mounting brackets – Vertical – MFA Mounting feet – Horizontal Flexible connection – EV-H Matching flanges Bellmouth inlets (mild steel, stainless steel – EFD-F Range) Silencers (mild steel, stainless steel – RS Range)		
BSRIA report: 53580/1			

First Issued: 2011-09-13

Latest Issue: 2018-10-25

Page: 13 of 20

This certificate has been issued by and remains the property of BSI Assurance UK Ltd, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP, United Kingdom and should be returned immediately upon request.
To check its validity telephone +44 (0) 345 080 9000. An electronic certificate can be authenticated [online](#).

BSI Assurance UK Limited, registered in England under number 7805321 at 389 Chiswick High Road, London W4 4AL, UK.
A member of BSI Group of Companies.

Certificate of Constancy of Performance

No. 0086-CPR-578672

EN 12101-3:2015 – Powered smoke and heat exhaust ventilators.

IV Range (B)	1 Speed - 4 Pole Models		
	IV 50-4(B)	IV 85-4(B)	IV 100-4(B)
	2 Speed - 4/6 Pole Models		
	IV 50 4/6 (B)	IV 85 2 4/6 (B)	IV 100 4/6 (B)
	2 Speed - 4/8 Pole Models		
	IV 50 4/8 (B)	IV 85 4/8 (B)	IV 100 4/8 (B)
Response Delay	N/A		
Resistance to Fire class	F300 (300°C, 120mins) (Tested 300°C, 120mins)		
Motor Rating	Class H		
Ancillaries	Systemair terminal box		
Applus reports: 11/2634-614 & 14/4971-1711			

IV Range (B)	1 Speed - 4 Pole Models	
	IV 50-4(B)	IV 100-4(B)
	2 Speed - 4/6 Pole Models	
	IV 50 4/6 (B)	IV 100 4/6 (B)
	2 Speed - 4/8 Pole Models	
	IV 50 4/8 (B)	IV 100 4/8 (B)
Response Delay	N/A	
Resistance to Fire class	F300 (300°C, 120mins) (Tested 300°C, 120mins)	
Motor Rating	Class H	
Ancillaries	Systemair terminal box	
Applus report: 17/12620-2340		

IV Range F-400(120)**	1 Speed - 4 Pole Models		
	IV 50-4(F)	IV 85-4 (F)	IV 100-4 (F)
	2 Speed - 4/6 Pole Models		
	IV 50 -4/6 (F)	IV 85-4/6 (F)	IV 100-4/6 (F)
	2 Speed - 4/8 Pole Models		
	IV 50-4/8 (F)	IV 85-4/8 (F)	IV 100-4/8 (F)
Response Delay	N/A		
Resistance to Fire class	F400 (400°C, 120mins) (Tested 400°C, 120mins)		
Motor Rating	Class H		
Ancillaries	Rittal external terminal box Ziehl-Abegg wire screen		
Applus report: 12/2673-251			

** Steel blades only

First Issued: 2011-09-13

Latest Issue: 2018-10-25

Page: 14 of 20

This certificate has been issued by and remains the property of BSI Assurance UK Ltd, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP, United Kingdom and should be returned immediately upon request.
To check its validity telephone +44 (0) 345 080 9000. An electronic certificate can be authenticated [online](#).

BSI Assurance UK Limited, registered in England under number 7805321 at 389 Chiswick High Road, London W4 4AL, UK.
A member of BSI Group of Companies.

Certificate of Constancy of Performance

No. 0086-CPR-578672

EN 12101-3:2015 – Powered smoke and heat exhaust ventilators.

AJR Axial fan range	1 & 2 speed models (Leroy Somer motors)		
	AJR 315-TR-2	AJR 355-TR-2	AJR 400-TR-2
	AJR 315-TR-2/4	AJR 355-TR-2/4	AJR 400-TR-2/4
	AJ8 315-TR-2**	AJ8 355-TR-2**	AJ8 400-TR-2**
	AJ8 315-TR-2/4**	AJ8 355-TR-2/4**	AJ8 400-TR-2/4**
	CMG motors		
	AJ8 315**	AJ8 355**	AJ8 400**
	AJR 315	AJR 355	AJR 400
Response Delay	N/A		
Resistance to Fire class	F300 (300 °C, 60mins) (Tested 300 °C, 120mins)		
Motor Rating	Class H		
Ancillaries	Ziehl Abegg FXDM frequency converter		
	Round silencer		
	Octagonal silencer**		
Applus reports: 10/101420 & 13/4971-2181			

AJR Axial fan range	Model numbers (WEG motors)		
	AJ8 315**	AJ8 355**	AJ8 400**
	AJR 315	AJR 355	AJR 400
Response Delay	N/A		
Resistance to Fire class	F400 (400 °C, 120mins) (tested 400 °C, 120mins.)		
Motor Rating	Class H		
Ancillaries	16A External terminal box		
	AB55621F4 GAVE Switch		
	Octagonal silencer**		
	Protection grid		
Applus report: 15/4971-2781			

First Issued: 2011-09-13

Latest Issue: 2018-10-25

Page: 15 of 20

This certificate has been issued by and remains the property of BSI Assurance UK Ltd, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP, United Kingdom and should be returned immediately upon request.
To check its validity telephone +44 (0) 345 080 9000. An electronic certificate can be authenticated [online](#).

BSI Assurance UK Limited, registered in England under number 7805321 at 389 Chiswick High Road, London W4 4AL, UK.
A member of BSI Group of Companies.

Certificate of Constancy of Performance

No. 0086-CPR-578672

EN 12101-3:2015 – Powered smoke and heat exhaust ventilators.

AJ Axial fan range	Models			
	AJ 315 (K)	AJ 355 (K)	AJ 400 (K)	AJ 450 (K)
	AJ 500 (K)	AJ 560 (K)	AJ 630 (K)	AJ 710 (K)
	AJ 800 (K)	AJ 900 (K)	AJ 1000 (K)	AJ 1120 (K)
	AJ 1250 (K)	AJ 1400 (K)	AJ 1600 (K)	
Response Delay	N/A			
Resistance to Fire class	F200 in accordance with EN 12101-3:2002, unclassified (Tested to 250 °C, 120mins – F250)			
Motor Rating	Class H			
Ancillaries	Mounting brackets – Vertical – MFA Mounting feet – Horizontal Flexible connection – EV-H Matching flanges Bellmouth inlets (mild steel, stainless steel – EFD-F Range) Silencers (mild steel, stainless steel – RS Range)			
BSRIA report: 53580/3				

First Issued: 2011-09-13

Latest Issue: 2018-10-25

Page: 16 of 20

This certificate has been issued by and remains the property of BSI Assurance UK Ltd, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP, United Kingdom and should be returned immediately upon request.
To check its validity telephone +44 (0) 345 080 9000. An electronic certificate can be authenticated [online](#).

BSI Assurance UK Limited, registered in England under number 7805321 at 389 Chiswick High Road, London W4 4AL, UK.
A member of BSI Group of Companies.

Certificate of Constancy of Performance

No. 0086-CPR-578672

EN 12101-3:2015 – Powered smoke and heat exhaust ventilators.

EFF Model numbers				
EMWA 2800 – 140/8	EMWA 2800 – 120/8	EMWA 2800 – 105/8	EMWA 2500 – 140/8	EMWA 2500 – 120/8
EMWA 2500 – 105/8	EMWA 2240 – 235/6	EMWA 2240 – 175/6	EMWA 2240 – 150/6	EMWA 2240 – 132/6
EMWA 2240 – 110/6	EMWA 2240 – 90/6	EMWA 2240 – 75/6	EMWA 2000 – 140/8	EMWA 2000 – 120/8
EMWA 2000 – 100/8	EMWA 2000 – 80/8	EMWA 2000 – 235/6	EMWA 2000 – 175/6	EMWA 2000 – 150/6
EMWA 2000 – 132/6	EMWA 2000 – 110/6	EMWA 2000 – 90/6	EMWA 1800 – 132/6	EMWA 1800 – 110/6
EMWA 1800 – 90/6	EMWA 1800 – 75/6	EMWA 1600 – 55/6	EMWA 1600 – 45/6	EMWA 1600 – 37/6
EMWA 1600 – 30/6	EMWA 1600 – 22/6	EMWA 1400 – 37/6	EMWA 1400 – 30/6	EMWA 140 – 22/6
EMWA 1400 – 18.5/6	EMWA 1250 - 30/6	EMWA 1250 – 22/6	EMWA 1250 – 15/6	EMWA 1250 – 11/6
EMWA 1250 – 45/4	EMWA 1250 – 37/4	EMWA 1250 – 30/4	EMWA 1250 – 22/4	EMWA 1250 – 18.5/4
EMWA 1120 – 22/6	EMWA 1120 – 18.5/6	EMWA 1120 – 15/6	EMWA 1120 – 11/6	EMWA 1120 – 7.5/6
EMWA 1120 – 37/4	EMWA 1120 – 30/4	EMWA 1120 – 22/4	EMWA 1120 – 18.5/4	EMWA 1120 – 15/4
J8/1000 – 5.5A	J8/1000 – 4A	I6/1000 – 7.5A	H4/1000 – 30A	H4/1000 – 22A
H4/1000 – 18.5A	H4/1000 – 15A	H4/1000 – 11A	H4/900 – 15A	H4/900 – 11A
C2/800 – 45A	C2/800 – 37A	C2/800 – 30A	C2/800 – 22A	C2/710 – 37A
C2/710 – 30A	C2/710 – 22A	C2/710 – 18.5A	C2/710 – 15A	C2/630 – 18.5A
C2/630 – 15A	C2/630 – 11A	C2/560 – 11A		
Response Delay		N/A		
Resistance to Fire class		F400, F300 & F200 (tested to 400°C,120mins)		
Motor insulation/Temp. rise		Class H/B or F		
Ancillaries		Mounting feet Additional casing Bell mouth Bulb in front of impeller Silencer SK		
Effectis report 14 – B – 039 – Revision 1				

First Issued: 2011-09-13

Latest Issue: 2018-10-25

Page: 17 of 20

This certificate has been issued by and remains the property of BSI Assurance UK Ltd, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP, United Kingdom and should be returned immediately upon request.
To check its validity telephone +44 (0) 345 080 9000. An electronic certificate can be authenticated [online](#).

BSI Assurance UK Limited, registered in England under number 7805321 at 389 Chiswick High Road, London W4 4AL, UK.
A member of BSI Group of Companies.

Certificate of Constancy of Performance

No. 0086-CPR-578672

EN 12101-3:2015 – Powered smoke and heat exhaust ventilators.

MUB/F Range F-400(120)	1 Speed - 4 Pole Models (WEG motors)		
	MUB/F 042 400 D4	MUB/F 042 450 D4	MUB/F 062 500 D4
	MUB/F 062 560 D4	MUB/F 062 630 D4	
	1 Speed - 6 Pole Models (WEG motors)		
	MUB/F 042 400 D6	MUB/F 042 450 D6	MUB/F 062 500 D6
	MUB/F 062 560 D6	MUB/F 062 630 D6	
	2 Speed - 4/6 Pole Models (WEG motors)		
	MUB/F 042 400 D4-6	MUB/F 042 450 D4-6	MUB/F 062 500 D4-6
	MUB/F 062 560 D4-6	MUB/F 062 630 D4-6	
Response Delay	N/A		
Resistance to Fire class	F400 (400°C, 120mins) (Tested 400°C, 120mins)		
Motor Rating	Class H		
Applus report: 18/13562-497			

MUB/F Range F-400(120)	1 Speed - 4 Pole Models (Leroy Somer motors)		
	MUB/F 042 400 D4	MUB/F 042 450 D4	MUB/F 062 500 D4
	MUB/F 062 560 D4	MUB/F 062 630 D4	
	1 Speed - 6 Pole Models (Leroy Somer motors)		
	MUB/F 042 400 D6	MUB/F 042 450 D6	MUB/F 062 500 D6
	MUB/F 062 560 D6	MUB/F 062 630 D6	
	2 Speed - 4/6 Pole Models (Leroy Somer motors)		
	MUB/F 042 400 D4-6	MUB/F 042 450 D4-6	MUB/F 062 500 D4-6
	MUB/F 062 560 D4-6	MUB/F 062 630 D4-6	
Response Delay	N/A		
Resistance to Fire class	F400 (400°C, 120mins) (Tested 400°C, 120mins)		
Motor Rating	Class H		
Applus report: 10/101420-1103			

First Issued: 2011-09-13

Latest Issue: 2018-10-25

Page: 18 of 20

This certificate has been issued by and remains the property of BSI Assurance UK Ltd, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP, United Kingdom and should be returned immediately upon request.
To check its validity telephone +44 (0) 345 080 9000. An electronic certificate can be authenticated [online](#).

BSI Assurance UK Limited, registered in England under number 7805321 at 389 Chiswick High Road, London W4 4AL, UK.
A member of BSI Group of Companies.

Certificate of Constancy of Performance

No. 0086-CPR-578672

EN 12101-3:2015 – Powered smoke and heat exhaust ventilators.

KBR/F fan range	1 & 2 speed models (Küenle/AC-Motoren)		
	KBR/F 280 D2	KBR/F 280 DV	KBR/F 280 D4/2
	KBR/F 315 D2	KBR/F 315 DV	KBR/F 315 DZ
	KBR/F 355 D2	KBR/F 355 D2/K	KBR/F 355 DV/K
	KBR/F 355 DZ/K	KBR/F 355 DV	KBR/F 355 DZ
	KBR/F 355 E4	KBR/F 355 E4/K	
Response Delay	N/A		
Resistance to Fire class	F400 (400 °C, 120mins) (Tested 400 °C, 120mins)		
Motor Rating	Class F		
Applus reports: 12/2673-379, 07/32302683			

First Issued: 2011-09-13

Latest Issue: 2018-10-25

Page: 19 of 20

This certificate has been issued by and remains the property of BSI Assurance UK Ltd, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP, United Kingdom and should be returned immediately upon request.
To check its validity telephone +44 (0) 345 080 9000. An electronic certificate can be authenticated [online](#).

BSI Assurance UK Limited, registered in England under number 7805321 at 389 Chiswick High Road, London W4 4AL, UK.
A member of BSI Group of Companies.

Certificate of Constancy of Performance

No. 0086-CPR-578672

Manufacturing Plants

Systemair GmbH
Seehöfer Straße 45
Windischbuch
97944
Germany

Ilk Belediye Cad.
No:2 Tunel
Istanbul
34420
Turkey

Certified Activities

Refer to scope of 0086-CPR-578672.



First Issued: 2011-09-13

Latest Issue: 2018-10-25

Page: 20 of 20

This certificate has been issued by and remains the property of BSI Assurance UK Ltd, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP, United Kingdom and should be returned immediately upon request.
To check its validity telephone +44 (0) 345 080 9000. An electronic certificate can be authenticated [online](#).

BSI Assurance UK Limited, registered in England under number 7805321 at 389 Chiswick High Road, London W4 4AL, UK.
A member of BSI Group of Companies.