

Kitemark™ Certificate

This is to certify that:

Systemair d.o.o.
Špelina ul. 2
2000 Maribor
Slovenia

Holds Certificate Number:

KM 646474

In respect of:

BS EN 12101-3: 2015
Powered smoke and heat exhaust ventilators

This issues the right and licence to use the Kitemark in accordance with the Kitemark Terms and Conditions governing the use of the Kitemark, as may be updated from time to time by BSI Assurance UK Ltd (the "Conditions"). All defined terms in this Certificate shall have the same meaning as in the Conditions.

The use of the Kitemark is authorized in respect of the Product(s) detailed on this Certificate provided at or from the above address.

For and on behalf of BSI:

Shahm Barhom, Group Product Certification Director

First Issued: 2016-01-06

Latest Issue: 2024-02-09

Effective Date: 2024-02-09

Expiry Date: 2027-02-05

Page: 1 of 8



Kitemark™ Certificate

No. KM 646474

EN 12101-3:2015 Product information:

	Models			
	DVV fan range	DVV 560D4-XL /F400	DVV 560D4-6-XL /F400	DVV 560D4-8-XL /F400
DVV 560D4-6-XS/F400		DVV 560D4-8-XS /F400	DVV 560D4-XM /F400	DVV 560D4-6-XM /F400
DVV 560D4-8-XM /F400		DVV 630D4-XS /F400	DVV 630D6-XS /F400	DVV 630D4-6-XS /F400
DVV 630D4-8-XS /F400		DVV 630D6-8-XS /F400	DVV 630D4-XM /F400	DVV 630D6-XM /F400
DVV 630D4-6-XM /F400		DVV 630D4-8-XM /F400	DVV 630D6-8-XM /F400	DVV 630D4-XL /F400
DVV 630D6-XL /F400		DVV 630D4-6-XL /F400	DVV 630D4-8-XL /F400	DVV 630D6-8-XL /F400
DVV 710D6-XM/F400		DVV 710D8-XM/F400	DVV 710D6-8-XM/F400	DVV 710D6-12-XM/F400
DVV 710D6-XL/F400		DVV 710D8-XL/F400	DVV 710D6-8-XL/F400	DVV 710D6-12-XL/F400
DVV 800D4-XS /F400		DVV 800D6-XS /F400	DVV 800D4-6-XS /F400	DVV 800D4-8-XS /F400
DVV 800D6-8-XS /F400		DVV 800D6-12-XS /F400	DVV 800D6-XM /F400	DVV 800D6-8-XM /F400
DVV 800D4-XM /F400		DVV 800D4-6-XM /F400	DVV 800D4-8-XM /F400	DVV 800D6-XL /F400
DVV 800D4-8-XL /F400		DVV 800D6-8-XL /F400	DVV 800D4-XL /F400	DVV 800D4-6-XL /F400
DVV 800D6-12-XL /F400		DVV 1000D8-XL /F400	DVV 1000D6-XL /F400	DVV 1000D6-8-XL /F400
DVV 1000D6-12-XL /F400		DVV 1000D8-12-XL /F400	DVV 1000D8-XM /F400	DVV 1000D4-XM /F400
DVV 1000D6-XM /F400		DVV 1000D4-6-XM /F400	DVV 1000D4-8-XM /F400	DVV 1000D6-8-XM /F400
DVV 1000D6-12-XM /F400		DVV 1000D8-12-XM /F400	DVV 1000D4-XP /F400	DVV 1000D6-XP /F400
DVV 1000D4-6-XP /F400		DVV 1000D4-8-XP /F400	DVV 1000D6-8-XP /F400	DVV 1000D6-12-XP /F400
DVV 1000D8-XP /F400		DVV 1000D8-12-XP /F400		
Response Delay	30s at SL 1000			
Resistance to Fire class	F400 (Tested to 400°C, 120mins)			
Motor Rating	Class F			
Ancillaries	Roof socket FDG/F Silencer Snow load flaps Automatic shutter VKG/F Frequency converter Switch Roof Socket with silencer SSG/F			
ZAG Ljubljana range reports P 0904/13-530-2 & P0904/13-530-3				

First Issued: 2016-01-06

Effective Date: 2024-02-09

Latest Issue: 2024-02-09

Expiry Date: 2027-02-05

Page: 2 of 8

This certificate has been issued by and remains the property of BSI Assurance UK Ltd, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP, United Kingdom and should be returned immediately upon request.

To check its validity telephone +44 (0) 345 080 9000. An electronic certificate can be authenticated [online](#).

BSI Assurance UK Limited, registered in England under number 7805321 at 389 Chiswick High Road, London W4 4AL, UK.
A member of BSI Group of Companies.

Kitemark™ Certificate

No. KM 646474

EN 12101-3:2015 Product information:

DVV fan range	Models			
	DVV 560D4-XL /F600	DVV 560D4-6-XL /F600	DVV 560D4-8-XL /F600	DVV 560D4-XS /F600
DVV 560D4-6-XS/F600	DVV 560D4-8-XS /F600	DVV 560D4-XM /F600	DVV 560D4-6-XM /F600	
DVV 560D4-8-XM /F600	DVV 630D4-XS /F600	DVV 630D6-XS /F600	DVV 630D4-6-XS /F600	
DVV 630D4-8-XS /F600	DVV 630D6-8-XS /F600	DVV 630D4-XM /F600	DVV 630D6-XM /F600	
DVV 630D4-6-XM /F600	DVV 630D4-8-XM /F600	DVV 630D6-8-XM /F600	DVV 630D4-XL /F600	
DVV 630D6-XL /F600	DVV 630D4-6-XL /F600	DVV 630D4-8-XL /F600	DVV 630D6-8-XL /F600	
DVV 800D4-XS /F600	DVV 800D6-XS /F600	DVV 800D4-6-XS /F600	DVV 800D4-8-XS /F600	
DVV 800D6-8-XS /F600	DVV 800D6-12-XS /F600	DVV 800D6-XM /F600	DVV 800D6-8-XM /F600	
DVV 800D4-XM /F600	DVV 800D4-6-XM /F600	DVV 800D4-8-XM /F600	DVV 800D6-XL /F600	
DVV 800D4-8-XL /F600	DVV 800D6-8-XL /F600	DVV 800D4-XL /F600	DVV 800D4-6-XL /F600	
DVV 800D6-12-XL /F600	DVV 1000D8-XL /F600	DVV 1000D6-XL /F600	DVV 1000D6-8-XL /F600	
DVV 1000D6-12-XL /F600	DVV 1000D8-12-XL /F600	DVV 1000D8-XM /F600	DVV 1000D4-XM /F600	
DVV 1000D6-XM /F600	DVV 1000D4-6-XM /F600	DVV 1000D4-8-XM /F600	DVV 1000D6-8-XM /F600	
DVV 1000D6-12-XM /F600	DVV 1000D8-12-XM /F600	DVV 1000D4-XP /F600	DVV 1000D6-XP /F600	
DVV 1000D4-6-XP /F600	DVV 1000D4-8-XP /F600	DVV 1000D6-8-XP /F600	DVV 1000D6-12-XP /F600	
DVV 1000D8-XP /F600	DVV 1000D8-12-XP /F600			
Response Delay	30s at SL 1000			
Resistance to Fire class	F600 (Tested to 600°C, 120mins)			
Motor Rating	Class F			
Ancillaries	Roof socket FDG/F Silencer Snow load flaps Automatic shutter VKG/F Frequency converter Switch Roof Socket with silencer SSG/F			
ZAG Ljubljana range report P 0046/15-530-2				

First Issued: 2016-01-06

Latest Issue: 2024-02-09

Effective Date: 2024-02-09

Expiry Date: 2027-02-05

Page: 3 of 8

This certificate has been issued by and remains the property of BSI Assurance UK Ltd, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP, United Kingdom and should be returned immediately upon request.

To check its validity telephone +44 (0) 345 080 9000. An electronic certificate can be authenticated [online](#).

Kitemark™ Certificate

No. KM 646474

EN 12101-3:2015 Product information:

MRH fan range	Models	
	MRH 400 with fan AXC(B), AXC(F), AXC(R)	
	MRH 450 with fan AXC(B), AXC(F), AXC(R)	
	MRH 500 with fan AXC(B), AXC(F), AXC(R)	
	MRH 560 with fan AXC(B), AXC(F), AXC(R)	
	MRH 630 with fan AXC(B), AXC(F), AXC(R)	
	MRH 710 with fan AXC(B), AXC(F), AXC(R)	
	MRH 800 with fan AXC(B), AXC(F), AXC(R)	
	MRH 900 with fan AXC(B), AXC(F), AXC(R)	
	MRH 1000 with fan AXC(B), AXC(F), AXC(R)	
MRH 1120 with fan AXC(B), AXC(F), AXC(R)		
MRH 1250 with fan AXC(B), AXC(F), AXC(R)		
Response Delay	MRH 400-1250 MRH 400-1120 MRH 1250	RE10000, WL 200 (horizontal), WL 1500 (suction) SL 1000 SL 1250
Resistance to Fire class	F400 (Tested to 400°C, 120mins) respectively according to fan resistance, if lower	
Motor Rating	Class H	
ZAG Ljubljana reports P 0854/14-530-1, P 0155/17-530-1, P 0507/19-530-1 , BSRIA reports 102710-1, 102710-2		

First Issued: 2016-01-06

Latest Issue: 2024-02-09

Effective Date: 2024-02-09

Expiry Date: 2027-02-05

Page: 4 of 8

This certificate has been issued by and remains the property of BSI Assurance UK Ltd, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP, United Kingdom and should be returned immediately upon request.

To check its validity telephone +44 (0) 345 080 9000. An electronic certificate can be authenticated [online](#).

BSI Assurance UK Limited, registered in England under number 7805321 at 389 Chiswick High Road, London W4 4AL, UK.
A member of BSI Group of Companies.

Kitemark™ Certificate

No. KM 646474

**EN 12101-3:2015 – Powered smoke and heat exhaust ventilators.
Approved ancillaries to AXC range**

AXC Axial fan range	2 Pole Models			
	AXC 315(B)	AXC 355(B)	AXC 400(B)	AXC 450(B)
	AXC 500(B)	AXC 560(B)	AXC 630(B)	AXC 710(B)
	4 Pole models			
	AXC 315(B)	AXC 355(B)	AXC 400(B)	AXC 450(B)
	AXC 500(B)	AXC 560(B)	AXC 630(B)	AXC 710(B)
	AXC 800(B)	AXC 900(B)	AXC 1000(B)	AXC 1120 (B)
	AXC 1250(B)			
	6 Pole models			
	AXC 315(B)	AXC 355(B)	AXC 400(B)	AXC 450(B)
	AXC 500(B)	AXC 560(B)	AXC 630(B)	AXC 710(B)
	AXC 800(B)	AXC 900(B)	AXC 1000(B)	AXC 1120 (B)
	AXC 1250(B)			
	2 Pole Models			
	AXC 315(F)	AXC 355(F)	AXC 400(F)	AXC 450(F)
	AXC 500(F)	AXC 560(F)	AXC 630(F)	AXC 710(F)
	4 Pole models			
	AXC 315(F)	AXC 355(F)	AXC 400(F)	AXC 450(F)
	AXC 500(F)	AXC 560(F)	AXC 630(F)	AXC 710(F)
	AXC 800(F)	AXC 900(F)	AXC 1000(F)	AXC 1120 (F)
	AXC 1250(F)			
	6 Pole models			
	AXC 315(F)	AXC 355(F)	AXC 400(F)	AXC 450(F)
	AXC 500(F)	AXC 560(F)	AXC 630(F)	AXC 710(F)
AXC 800(F)	AXC 900(F)	AXC 1000(F)	AXC 1120 (F)	
AXC 1250(F)				
Ancillaries, Response Delay	SLO			
Ancillaries, Resistance to Fire class – dependent on model	F300 (Tested to 300°C, 120mins) F400 (Tested to 400°C, 120mins)			
Ancillaries	Automatic roof shutter	ARS		
	Inlet cone	ESDG		
	Base plate	BPF, BPN		
ZAG Ljubljana report: 0602/15-530-2, BSRIA reports: 102710-1, 102710-2				

First Issued: 2016-01-06

Latest Issue: 2024-02-09

Effective Date: 2024-02-09

Expiry Date: 2027-02-05

Page: 5 of 8

This certificate has been issued by and remains the property of BSI Assurance UK Ltd, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP, United Kingdom and should be returned immediately upon request.
To check its validity telephone +44 (0) 345 080 9000. An electronic certificate can be authenticated [online](#).

Kitemark™ Certificate

No. KM 646474

EN 12101-3:2015 Product information:

DVG fan range	Koncar/AC Motoren/ABB Motors/WEG Motors			
	min 4 Pole models - max 1500 RPM - (4, 6, 8, 4-6, 4-8, 6-8, 6-12 pole at 50Hz)			
	DVG-H 315, 315-XL	DVG-H 355, 355-XL	DVG-H 400-S, 400-XS	DVG-H 400, 400-XL
	DVG-H 450, 450-XL	DVG-H 500-S, 500-XS	DVG-H 500, 500-XL	DVG-H 560-XM
	DVG-H 560, 560-XL	DVG-H 630-S, 630-XS	DVG-H 630, 630-XM	DVG-H 630-XL
	DVG-V 315, 315-XL	DVG-V 355, 355-XL	DVG-V 400-S, 400-XS	DVG-V 400, 400-XL
	DVG-V 450, 450-XL	DVG-V 500-S, 500-XS	DVG-V 500, 500-XL	DVG-V 560-XM
	DVG-V 560, 560-XL	DVG-V 630-S, 630-XS	DVG-V 630, 630-XM	DVG-V 630-XL
	min 6 Pole models - max 1200 RPM - (6, 8, 6-8, 6-12 pole at 50 or 60Hz)			
	DVG-H 710-XM	DVG-H 710-XL	DVG-V 710-XM	DVG-V 710-XL
	min 6 Pole models - max 1000 RPM - (6, 8, 6-8, 6-12 pole at 50Hz)			
	DVG-H 800-S, 800-XS	DVG-H 800-XM	DVG-H 800, 800-XL	DVG-V 800-S, 800-XS
	DVG-V 800-XM	DVG-V 800, 800-XL		
	Domel Motors			
	max 1500 RPM			
	DVG-H 315EC-XL	DVG-H 355EC, 355EC-XL	DVG-H 400EC-XS	DVG-H 400EC-XL
	DVG-H 450EC, 450EC-XL	DVG-H 500EC-XS	DVG-H 500EC-XL	DVG-H 560EC, 560EC-XL
	DVG-H 630EC-XS	DVG-H 630EC	DVG-H 630EC-XM	DVG-H 630EC-XL
	DVG-V 315EC-XL	DVG-V 355EC, 355EC-XL	DVG-V 400EC-XS	DVG-V 400EC-XL
	DVG-V 450EC, 450EC-XL	DVG-V 500EC-XS	DVG-V 500EC-XL	DVG-V 560EC, 560EC-XL
	DVG-V 630EC-XS	DVG-V 630EC	DVG-V 630EC-XM	DVG-V 630EC-XL
	max 1200 RPM			
	DVG-H 710EC-XM	DVG-H 710EC-XL	DVG-V 710EC-XM	DVG-V 710EC-XL

First Issued: 2016-01-06

Latest Issue: 2024-02-09

Effective Date: 2024-02-09

Expiry Date: 2027-02-05

Page: 6 of 8

This certificate has been issued by and remains the property of BSI Assurance UK Ltd, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP, United Kingdom and should be returned immediately upon request.

To check its validity telephone +44 (0) 345 080 9000. An electronic certificate can be authenticated [online](#).

BSI Assurance UK Limited, registered in England under number 7805321 at 389 Chiswick High Road, London W4 4AL, UK.
A member of BSI Group of Companies.

Kitemark™ Certificate

No. KM 646474

DVG fan range	max 1000 RPM			
	DVG-H 800EC-XS	DVG-H 800EC-XM	DVG-H 800EC	DVG-H 800EC-XL
	DVG-V 800EC-XS	DVG-V 800EC-XM	DVG-V 800EC	DVG-V 800EC-XL
Response Delay	SL1000 (DVG-H), SL0 (DVG-V)			
Resistance to Fire class	F400 (Tested to 400°C, 120mins)			
Motor Rating	Class F			
Ancillaries	Roof socket FDG/F Roof socket with silencer SSG/F Automatic shutter VKG/F Switch Controller/Frequency converter			
Applus range report 14/3662-456 & report 11/2673-1035, ZAG Ljubljana range report P1297/15-530-3, Applus range report 22/32306327				

First Issued: 2016-01-06
Latest Issue: 2024-02-09

Effective Date: 2024-02-09
Expiry Date: 2027-02-05

Page: 7 of 8

This certificate has been issued by and remains the property of BSI Assurance UK Ltd, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP, United Kingdom and should be returned immediately upon request.
To check its validity telephone +44 (0) 345 080 9000. An electronic certificate can be authenticated [online](#).

BSI Assurance UK Limited, registered in England under number 7805321 at 389 Chiswick High Road, London W4 4AL, UK.
A member of BSI Group of Companies.

Kitemark™ Certificate

No. KM 646474

EN 12101-3:2015 Product information:

BKF fan range	Končar-MES/AC Motoren/ABB Motors/ELKO Motors/WEG Motors			
	min 4 Pole models - max 1500 RPM - (4, 6, 8, 4-6, 4-8, 6-8, 6-12 pole at 50Hz)			
	BKF 315-XL	BKF 355, 355-XL	BKF 400-XS	BKF 400-XL
	BKF 450, 450-XL	BKF 500-XS	BKF 500-XL	BKF 560-XM
	BKF 560, 560-XL	BKF 630-XS	BKF 630-XM	BKF 630-XL
	min 6 Pole models - max 1200 RPM - (6, 8, 6-8, 6-12 pole at 50 or 60Hz)			
	BKF 710-XM	BKF 710-XL		
	min 6 Pole models - max 1000 RPM - (6, 8, 6-8, 6-12 pole at 50Hz)			
	BKF 800-XS	BKF 800-XM	BKF 800-XL	
Response Delay	N/A			
Resistance to Fire class	F400 (Tested to 400°C, 120mins)			
Motor Rating	Class F			
Ancillaries	Flexible connectors Steel spring vibration isolators Motor covers Frequency converter			
ZAG Ljubljana report P 1297/15-530-3				

First Issued: 2016-01-06
Latest Issue: 2024-02-09

Effective Date: 2024-02-09
Expiry Date: 2027-02-05

Page: 8 of 8

This certificate has been issued by and remains the property of BSI Assurance UK Ltd, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP, United Kingdom and should be returned immediately upon request.
To check its validity telephone +44 (0) 345 080 9000. An electronic certificate can be authenticated [online](#).

BSI Assurance UK Limited, registered in England under number 7805321 at 389 Chiswick High Road, London W4 4AL, UK.
A member of BSI Group of Companies.